

Name : _____

--	--

METHODIST GIRLS' SCHOOL

Founded in 1887



PRELIMINARY EXAMINATION 2025 Secondary 4

Wednesday
20 August 2025

MATHEMATICS
Paper 1

4052/01
2 h 15 min

Candidates answer on the Question Paper.

INSTRUCTIONS TO CANDIDATES

Write your name, class and index number in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

Answer **all** the questions.

If working is needed for any question it must be shown with the answer.

Omission of essential working will result in loss of marks.


The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 90.



*Mathematical Formulae**Compound Interest*

$$\text{Total amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4 \pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of a triangle} = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

- 1 Simplify $\frac{4a^{-2}}{3r} \div \frac{(27a^6)^{\frac{1}{3}}}{r^3}$, giving your answer in positive index.

Answer..... [2]

- 2 $4^{m-3} \times 8^{3m-1} = 4$
Use the laws of indices to find the value of m . Show your working.

Answer $m =$ [2]

- 3 Two identical containers are filled with a mixture of rose syrup and evaporated milk in the ratio of 5 : 3 and 4 : 7.
The contents of the containers are poured into a big bowl and mixed thoroughly.
Find the ratio of the rose syrup to the evaporated milk in the big bowl.

Answer : [2]

4 Simplify $\frac{(3m-1)(2m+3)}{3} + \frac{5m-2}{6}$.

Answer..... [2]

- 5** A map is drawn to a scale of 1 : 400 000.
(a) Find the actual distance, in km, represented by 10.5 cm on the map.

Answer..... km [1]

- (b)** A forest covers an area of 64 km².
Find, in cm², the area representing the forest on the map.

Answer..... cm² [1]

- 6 (a) Written as a product of its prime factors, $240 = 2^4 \times 3 \times 5$ and $2750 = 2 \times 5^3 \times 11$.
- (i) Find the smallest positive integer n for which $\sqrt{2750n}$ is a whole number.

Answer..... [2]

- (ii) Find the smallest positive integer k for which $240k$ is a multiple of 2750.

Answer..... [1]

- (b) $Y = a^{18} \times b^{12} \times c^{36}$ where a, b and c are prime numbers.
Explain why Y is a perfect cube.


Answer

.....

.....

..... [1]

- 7 The graph shows the Category A Certificate of Entitlement (COE) price for cars up to 1600cc for the months of April, May and June in 2025.



State one aspect of the graph that may be misleading and explain how this may lead to a misinterpretation of the graph.

Answer

.....

.....

.....

.....


.....

.....[2]

- 8 The interior angles of a hexagon are in the ratio 3 : 5 : 6 : 7 : 7 : 8.
Find the smallest exterior angle of the hexagon.

Answer.....° [2]

- 9 *P* and *Q* are similar pentagonal pyramids.
 The ratio of surface areas of the two pyramids, *P* and *Q*, is 81 : 121.



- (a) Find the ratio of the height of pyramid *P* to that of pyramid *Q*.

Answer..... : [1]

- (b) Both pyramids are completely filled with sand. Find the mass of the sand, in kg, in pyramid *Q* if the mass of sand in the pyramid *P* is 192 g.

Answer.....kg [2]

- 10 Factorise completely.

(a) $5 - 5x^2$

Answer..... [2]

(b) $2xq - 2yq - yp + xp$

Answer..... [2]

11 Simplify $\frac{3}{x+1} - \frac{x+4}{x^2+3x+2}$.

Answer..... [4]

- 12 (a) Express $x^2 - 6x + 8$ in the form of $a(x+b)^2 + c$.

Answer..... [2]

- (b) The curve $y = x^2 - 6x + 8$ is drawn.
Using your answer in (a), write down
(i) the coordinates of the turning point,

Answer (.....,). [1]

- (ii) the equation of the line of symmetry of the curve.

Answer..... [1]

- 13 (a) Derek invested a sum of money in an account paying compound interest at 3.4% per annum. After six years, he earned a total interest of \$2665.76. Calculate the sum of money Derek invested in the account to the nearest dollar.

Answer \$..... [2]

- 13 (b) Cathy is going on a holiday to Australia. She changes 3500 Singapore dollars (SGD) into 4172 Australian dollars (AUD) at a bank.
- (i) Calculate the exchange rate between SGD and AUD to the nearest cents.

Answer 1 SGD =AUD [1]

- (ii) At the end of Cathy’s holiday in Australia, she has some AUD left. If she converts this amount back to SGD at a money changer.

The exchange rate between AUD and SGD is 1 AUD = 0.91 SGD.


Determine, when changing AUD back to SGD, if the exchange rate offered by the money changer is of better value for Cathy than the bank’s exchange rate found in (b)(i).

Answer

.....

.....[2]

- 14 The diagram shows a trapezium $ABCD$ such that AB is parallel to DC .
 AC and BD are diagonals of the trapezium $ABCD$.
 E is a point on BD such that $5DE = 4EB$.



- (a) Show that triangle ABE and triangle CDE are similar.

Answer

.....

 [2]

- (b) Calculate the value of

(i) $\frac{\text{area of } \triangle ABE}{\text{area of } \triangle CDE}$,


Answer..... [1]

(ii) $\frac{\text{area of } \triangle ABE}{\text{area of } \triangle ABC}$,

Answer..... [1]

15 The revenue y (in dollars) of a company for selling x items is given by $y = 80x - x^2$ for $0 \leq x \leq 80$.

(a) Sketch the graph of $y = 80x - x^2$ for $0 \leq x \leq 80$, showing its turning point, x and y -intercepts.



[2]

(b) “The company claims that it is possible for them to make a revenue of \$2000.” Using your answer in (a), determine if the statement above is correct.

Answer

.....
.....
.....
.....

[1]

- 16 The pressure, $P \text{ N/m}^2$ of a gas contained in an enclosed container, held at a constant temperature is inversely proportional to the volume of the gas, $V \text{ m}^3$.


The pressure of a certain mass of gas is 500 N/m^2 when the volume at a constant temperature is 2 m^3 .

- (a) Find an equation connecting P and V .

Answer..... [2]

- (b) Sketch the graph of P against V .

Answer




- (c) The volume of the gas in the container is increased by 400%. Calculate the percentage change in the pressure of the gas.

[1]

Answer.....% [2]

- 17 (a) On the Venn diagram, shade the region which represents $A' \cup B$.



[1]

(b)

$$\varepsilon = \{\text{integers } x : 1 \leq x < 10\}$$

$$P = \{\text{multiples of 3}\}$$

$$Q = \{\text{perfect squares}\}$$


- (i) List the elements in $P' \cap Q'$.

Answer..... [1]

- (ii) A number, y is chosen at random from the set $P \cup Q$.
Find the probability that $y \notin P$.

Answer..... [1]

- 18 The diagram shows the speed-time graph of a particle during a period of 16 seconds.



- (a) Calculate the speed of the car after 6 seconds.

Answer.....cm/s [2]


- (b) Calculate the average speed of the particle during the 16 seconds.

Answer.....cm/s [2]

- 19 There are 85 cookies and 25 packets of Ribena in a snack box. After x cookies have been consumed, the probability that a packet of Ribena is picked to be consumed is $\frac{5}{18}$. Calculate the number of cookies, x , that have been consumed.

Answer $x = \dots\dots\dots$ [2]

- 20 In the diagram, $PQRS$ is a quadrilateral.
Angle $SPQ =$ Angle $QRS = 90^\circ$.



Show that $\sin \angle RSP = \sin \angle PQR$.

Answer

.....

.....

.....

.....

.....

.....

[3]

- 21 In a fuel economy test conducted for 100 cars, the average distance travelled per litre of fuel (km/l) were recorded and given in the table below.

Distance travelled per litre (d km/l)	Frequency
$10 < d \leq 11$	14
$11 < d \leq 12$	20
$12 < d \leq 13$	38
$13 < d \leq 14$	16
$14 < d \leq 15$	12

- (a) Calculate an estimate for the mean distance travelled per litre of fuel.

Answer.....km/l [1]

- (b) Explain why the value of the mean in part (a) is an estimate of the mean distance travelled per litre of fuel.

Answer

.....

.....

.....

.....[1]

- (c) Find the standard deviation.

Answer..... km/l [1]

22 S is the point $(1, -3)$ and T is the point $(5, w)$.

$$\overrightarrow{PQ} = \begin{pmatrix} 1 \\ 4 \end{pmatrix} \text{ and } \overrightarrow{QR} = \begin{pmatrix} 8 \\ 6 \end{pmatrix}.$$

(a) Find $|\overrightarrow{QR}|$.

Answerunits [1]

(b) Express \overrightarrow{ST} as a column vector, in terms of w .

Answer [1]

(c) Find the value of w given that \overrightarrow{ST} is parallel to \overrightarrow{PQ} .

Answer $w =$ [2]

23 The first four terms in a sequence of numbers are given below.

$T_1 = 1 \times 3$	$= 3 \times 1$	$= 3 \times 1$	$= 3$
$T_2 = 1 \times 3 + 3 \times 3$	$= 3 \times (1 + 3)$	$= 3 \times 4$	$= 12$
$T_3 = 1 \times 3 + 3 \times 3 + 5 \times 3$	$= 3 \times (1 + 3 + 5)$	$= 3 \times 9$	$= 27$
$T_4 = 1 \times 3 + 3 \times 3 + 5 \times 3 + 7 \times 3$	$= 3 \times (1 + 3 + 5 + 7)$	$= 3 \times 16$	$= 48$

(a) Find an expression, in terms of n , for T_n .

Answer $T_n = \dots\dots\dots$ [1]

(b) T_p and T_{p+1} are consecutive terms in the sequence.
Find and simplify an expression, in terms, of p , for $T_{p+1} - T_p$.

Answer..... [1]

(c) Explain why two consecutive terms of the sequence cannot have a difference of 4.

Answer


.....

 [1]

(d) The first three terms of a second sequence are 12, 27 and 48.
By using (a) or otherwise, write down an expression, in terms of n , for the n^{th} term, S_n of this second sequence.

Answer..... [1]

- 24 A, B and C are three points on a level ground.
 Angle $ABC = 130^\circ$.
 A is 75 m from B on a bearing of 210° .
 B is 110 m from C on a bearing of 260° .



- (a) Calculate the distance, AC .

Answer.....m [2]

- (b) Calculate the bearing of C from A .

Answer..... [3]

- (c) A kite was seen flying 55 m vertically above point B .
Find the greatest angle of elevation of the kite observed by a person walking in a straight path from A to C .

Answer.....° [4]

- 25 An enrichment centre offers Basic and Advanced programming lessons on weekdays and weekends.
Each student attends 4 weekly lessons per month.
The table shows the number of students who attend weekly Basic and Advanced programming lessons in a particular month.

	Basic	Advanced
Weekday	18	9
Weekend	15	13

This information can be represented by the matrix T .

$$T = \begin{pmatrix} 18 & 9 \\ 15 & 13 \end{pmatrix}$$

- (a) Evaluate the matrix $W = 4T$.

Answer $W = \dots\dots\dots$ [1]

- (b) The enrichment centre charges \$60 per lesson for Basic Programming and \$110 per lesson for Advanced Programming.
The lesson charges can be represented by a 2×1 matrix N where $N = \begin{pmatrix} 60 \\ 110 \end{pmatrix}$.

- (i) Find WN .

Answer $WN = \dots\dots\dots$ [1]

(ii) Explain what the elements in WN represent.

Answer

.....
.....
.....

..... [1]

(c) The charges for both Basic Programming and Advanced Programming lessons are increased by 7%, and the attendance remains the same. Calculate the total amount of money collected monthly after the increase in charges.

Answer \$ [2]

Name : _____

Class Index Number

--	--

METHODIST GIRLS' SCHOOL

Founded in 1887



PRELIMINARY EXAMINATION 2025 Secondary 4

Friday
22 August 2025

MATHEMATICS
Paper 2

4052/02
2 hours 15 minutes

Candidates answer on the Question Paper.

INSTRUCTIONS TO CANDIDATES

Write your name, class and index number in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

Answer **all** the questions.

If working is needed for any question it must be shown with the answer.


Omission of essential working will result in loss of marks.

The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π

The number of marks is given in brackets [] at the end of each question or part question.
The total of the marks for this paper is 90.



This question paper consists of 26 printed pages and 2 blank pages.

Mathematical Formulae*Compound Interest*

$$\text{Total amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4 \pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of a triangle } ABC = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

3

- 1 (a) There are 2 500 sheets of paper of the same thickness in a stack of paper.
- (i) Given that the height of the stack of paper is 25 cm, write down the thickness of a single sheet of paper in metres in standard form.

Answer m [1]

- (ii) The stack of paper weighs 13.1 kg, correct to one decimal place. Find the minimum mass of the stack of paper.

Answer kg [1]

- (iii) The number 2500 is correct to k significant figures. State a possible value of k .

Answer $k =$ [1]

- (b) Jim is climbing a mountain that is 4 500 metres high. The temperature at the base of the mountain is 7°C , and as he climbs, the temperature drops at a constant rate.

The temperature at the top of the mountain is 15°C lower than at the base of the mountain.

- (i) Find the temperature at the top of the mountain.

Answer $^{\circ}\text{C}$ [1]

- (ii) At what height during his climb does the temperature reach -2°C ?

Answer m [1]

- (c) In 2023, Sandra earned 20% less than what she earned in 2022.
In 2024, she earned 15% more than what she earned in 2023.
If she earned \$49 680 in 2024, how much did she earn in 2022?

Answer \$ [2]

2 (a) (i) Solve the inequality $x - 4 < 5x + 1 \leq \frac{7}{2} - 2x$.

Answer [2]

(ii) List all the integers that satisfy $x - 4 < 5x + 1 \leq \frac{7}{2} - 2x$.

Answer [1]

6

(b) $a = \frac{(b+1)^3}{4} - c^2$

(i) Find a when $b = 2$ and $c = -1$.


Answer $a = \dots\dots\dots$ [1]

(ii) Arrange the formula to make b the subject.

Answer $b = \dots\dots\dots$ [3]

BLANK PAGE

3 (a)



A, B, C and D are points on a circle, centre O .
 EB and ED are tangents to the circle.
 Angle $DOC = 50^\circ$.

Find, giving reasons for each answer,
 (i) angle OEB ,

Answer° [3]

(ii) angle DAB ,


(iii) angle EBC .

Answer° [2]

Answer° [1]

10

(b)




The diagram shows the graphs of $y - 48x - 4 = 0$ and $y = ka^x$. They intersect at the points A and B . A is a point on the y -axis. Find the values of k and of a .

Answer $k = \dots\dots\dots$

$a = \dots\dots\dots$ [4]

- (c) The diagram shows a rhombus $ABCD$ such that $AB = BD = 18$ cm. $ABFD$ and $CBED$ are sectors of circles with centre A and C respectively.



- (i) Explain why angle $BCD = \frac{\pi}{3}$ radians.

[1]

- (ii) Calculate the area of the shaded region.

Answer cm^2 [3]

- 4 (a) Complete the table of values for $y = \frac{x^2}{3} + \frac{3}{x} - 4$.

Values are given to two decimal places where appropriate.

x	0.5	1	1.5	2	3	4	5	6
y	2.08	-0.67	-1.25		0	2.08	4.93	8.5

[1]

- (b) On the grid opposite, draw the graph of $y = \frac{x^2}{3} + \frac{3}{x} - 4$ for $0.5 \leq x \leq 6$. [3]

- (c) By drawing a tangent, find the gradient of the curve at $(3, 0)$.

Answer [2]

- (d) (i) On the same axes, draw the line with gradient $\frac{4}{3}$ that passes through $(3, 2)$. [2]

- (ii) Write down the x -coordinate(s) of the point(s) where the line intersects the curve.


Answer [1]

- (iii) The x -coordinate(s) of the point(s) of intersection satisfy the equation $x^3 + Ax^2 + Bx + C = 0$.
Find the values of A , B and C .


Answer $A =$

$B =$

$C =$ [3]



5 (a)



In the diagram, ABC is a triangle such that $\overrightarrow{AB} = 5b$ and $\overrightarrow{AC} = 2a$.
 It is given that $\frac{BD}{DA} = \frac{1}{4}$, $\overrightarrow{BN} = \frac{1}{3}\overrightarrow{BM}$ and M is the midpoint of AC .

(a) Write each of the following as simply as possible in terms of a and b ,

(i) \overrightarrow{AD} ,

Answer [1]

(ii) \overrightarrow{BM} ,

Answer [1]

(iii) \overrightarrow{CD} .

Answer [1]

15


(b) Show that $\overrightarrow{CN} = \frac{5}{3}(2\mathbf{b} - \mathbf{a})$.

[2]

(c) Explain why C , N and D lie in a straight line.

[2]

- 6 (a) The cumulative frequency curve shows the distribution of the speeds of 300 cars passing a road on a particular morning.



(i) Use the curve to estimate

(a) the median speed,

Answer km/h [1]

(b) the interquartile range of the speeds,

Answer km/h [2]


(c) 70th percentile.

Answer km/h [1]

(ii) Given that 10% of the cars have a speed of more than p km/h, find the value of p .

Answer $p =$ [1]

(iii) The speeds of 300 cars passing the same road in the afternoon were also recorded.
The box-and-whiskers plot shows the distribution of the speeds, in km/h.



Make two comments comparing the speeds of the cars in the morning and in the afternoon.

Answer

.....

.....

..... [2]

- (b) Ten identical cards are labelled 1, 2, 3, 4, 5, 6, 7, 8, 9 and 10 respectively. Two cards are drawn at random, one after the other, without replacement. Find the probability that

- (i) both cards picked have a number that is odd,

Answer [1]


- (ii) one card picked has a number that is odd and the other card has a number that is even,

Answer [2]

- (iii) the product of the numbers on both cards is even.

Answer [1]

- 7 The diagram shows a cylindrical solid with a hemispherical top with the same radius r cm. The height of the cylinder is $2r$ cm and the volume of the entire solid is 576π cm³.



- (a) Show that $r = 6$.

[3]

- (b) If the entire solid is melted to form a solid cone such that its radius and height are the same, find the total surface area of the cone.

Answer cm^2 [4]

8 A water heater is programmed to heat up water in a tank to a temperature of 38°C .

- (a) In the morning, the temperature of the water before heating is 25°C .
The water heater heats up water at an average rate of $x^{\circ}\text{C}$ per minute.

Write down an expression, in terms of x , for the time taken to heat up the water.

Answer min [1]

- (b) In the afternoon, the temperature of the water before heating is 28°C .
The water heater heats up water at an average rate of $(x+2)^{\circ}\text{C}$ per minute.

Write down an expression, in terms of x , for the time taken to heat up the water.

Answer min [1]

- (c) The difference between the time taken to heat up the water in the morning and in the afternoon is 2 minutes.

Write down an equation in x to represent this information, and show that it reduces to

$$2x^2 + x - 26 = 0.$$

[3]

- (d) Solve the equation $2x^2 + x - 26 = 0$, giving your answers to two decimal places.

Answer [3]

- (e) Find the time taken to heat up the water in the morning.
Give your answer in minutes and seconds, correct to the nearest second.

Answer min s [1]

24

9 A is the point $(-3, -1)$ and B is the point $(5, -7)$.

Find

(a) the equation of the line AB ,

Answer [2]

(b) the value of k if the point $(k, 3k)$ lies on the line AB ,

Answer $k =$ [2]

25

- (c) the value of a if the line $4y = 3ax + 4$ is parallel to the line AB .

Answer $a = \dots\dots\dots$ [2]

- 10 Caroline is interested to buy a new car. She has shortlisted 2 cars, which she intends to drive for 10 years. The following tables show the details of the specifications, car loans, applicable road taxes and expenditure of owning the cars.

Car	Model A	Model B
Engine Capacity (EC)/ cc	1598	1798
Power Rating (PR)/ kW	96	72
Fuel Type	Petrol	Petrol-Electric
Fuel consumption (km/L)	15.6	27
Cost	\$180 888	\$189 300
Annual maintenance fee	\$463	\$389
Car loan: Simple interest rate per annum	1.88%	2.18%

Road Tax (For Petrol Cars)

Engine Capacity (EC) in cc	Annual Road Tax Formula
$EC \leq 600$	$S\$400 \times 0.782$
$600 < EC \leq 1,000$	$[S\$400 + S\$0.25(EC - 600)] \times 0.782$
$1,000 < EC \leq 1,600$	$[S\$500 + S\$0.75(EC - 1,000)] \times 0.782$
$1,600 < EC \leq 3,000$	$[S\$950 + S\$1.5(EC - 1,600)] \times 0.782$

Road Tax (For Electric Cars)

Power Rating (PR) in kW	Annual Road Tax Formula
$PR \leq 7.5$	$S\$400 \times 0.782$
$7.5 < PR \leq 30$	$[S\$400 + S\$4(PR - 7.5)] \times 0.782$
$30 < PR \leq 230$	$[S\$500 + S\$7.5(PR - 30)] \times 0.782$

Road Tax (For Petrol-Electric Cars)

To find out your road tax, calculate road tax twice: first based on your car's engine capacity, then based on its Power Rating (PR). The higher amount will be the road tax you have to pay.

- a) Calculate the annual road tax payable for Model A.

Answer \$ [1]

- b) Show that annual road tax payable for Model *B* is \$975.15 correct to two decimal places.

[2]

- c) Caroline estimates that she will travel approximately 20 000 km per year and petrol prices are at \$2.57 per litre.

Caroline owns a credit card which gives her a discount of 21% off petrol prices.
She will pay \$60 000 cash for the downpayment for the car and take a car loan for 7 years.

Assuming both car models offer comparable performance over 10 years, which car model offers better value? Justify your answer with clear working.

Continued from previous page

[7]

End of Paper